

Maryland Truck
East Coast's Largest Truck Auction
 Easton, MD
 November 1 & 2, 2006

Axle Assembly, Rear (Rear)

LOT	DESCRIPTION	SKU	BID
	Axle Assembly, Rear (Rear); 2000 ISUZU S/A USED RATIO=5.38 HUBS=STUD	185064	
	Axle Assembly, Rear (Rear); 1993 NISSAN 2300 USED SUSPENSION=S HUBS=B BRAKES=H VIN#: JNALG08J6PGN70255	185048	
	Axle Assembly, Rear (Rear); 1992 FORD USED RATIO=3.08 HUBS=BUDD BRAKES=AIR VIN#: A15200	185057	
	Axle Assembly, Rear (Rear); 1992 FORD LS9000 USED RATIO=3.08 HUBS=H BRAKES=A VIN#: 1FTYS90LXNVA15207	185053	
	Axle Assembly, Rear (Rear); 1992 WHITEGMC WG42T USED RATIO=3.08 SUSPENSION=SPRING HUBS=BUDD BRAKES=AIR VIN#: 4V1JBBME2NR816714	185054	
	Axle Assembly, Rear (Rear); 1990 ROCKWELL RS23160 USED RATIO=3.91 SUSPENSION=S HUBS=S BRAKES=A VIN#: 1FTYS95T1LVA34492	185052	
	Axle Assembly, Rear (Rear); 1990 MITSUBISHI UNKNOWN USED HUBS=BUDD BRAKES=HYD VIN#: JW6AGC1FXLL002524	185059	
	Axle Assembly, Rear (Rear); 1989 SPICER RA44 USED RATIO=5.38 HUBS=SPOKE BRAKES=HYDRAULIC VIN#: 1HVLPCFP2KH667763	185066	
	Axle Assembly, Rear (Rear); 1987 SPICER M220T USED RATIO=5.29 HUBS=S BRAKES=A VIN#: 1HTLDTVP8HH495512	185049	
	Axle Assembly, Rear (Rear); 1986 GMC TOPKICK USED RATIO=7.17 HUBS=BUDD BRAKES=AIR VIN#: 1GDM7D1BXGV524432	185063	
	Axle Assembly, Rear (Rear); 1985 FORD 8000 USED RATIO=3.90 SUSPENSION=S HUBS=B BRAKES=A	185047	
	Axle Assembly, Rear (Rear); 1985 SPICER 23221 USED RATIO=5.43 SUSPENSION=S HUBS=S VIN#: 1FDYD80U9FVA09649	185051	
	Axle Assembly, Rear (Rear); USED	185006	
	Axle Assembly, Rear (Rear); USED RATIO=7.17 SUSPENSION=S HUBS=S BRAKES=A	184991	
	Axle Assembly, Rear (Rear); USED RATIO=6.57 SUSPENSION=S HUBS=S BRAKES=D	184992	
	Axle Assembly, Rear (Rear); USED RATIO=6.50 SUSPENSION=S HUBS=B BRAKES=H	184963	
	Axle Assembly, Rear (Rear); USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=A	185004	
	Axle Assembly, Rear (Rear); USED RATIO=4.88 HUBS=S BRAKES=D	184925	
	Axle Assembly, Rear (Rear); USED RATIO=5.43 SUSPENSION=S HUBS=S BRAKES=A	184970	
	Axle Assembly, Rear (Rear); USED RATIO=5.57 HUBS=S BRAKES=A	184926	
	Axle Assembly, Rear (Rear); USED	185020	
	Axle Assembly, Rear (Rear); USED RATIO=4.63 SUSPENSION=S HUBS=B BRAKES=A	185013	
	Axle Assembly, Rear (Rear); USED RATIO=4.88 SUSPENSION=S HUBS=S BRAKES=A	184990	
	Axle Assembly, Rear (Rear); USED RATIO=5.29 HUBS=B BRAKES=A	184904	
	Axle Assembly, Rear (Rear); USED RATIO=4.63 HUBS=B BRAKES=H	185030	
	Axle Assembly, Rear (Rear); USED RATIO=4.88 SUSPENSION=A HUBS=B BRAKES=A	184912	
	Axle Assembly, Rear (Rear); USED RATIO=5.57 SUSPENSION=S HUBS=B BRAKES=H	185026	
	Axle Assembly, Rear (Rear); USED RATIO=3.70 SUSPENSION=S HUBS=B BRAKES=A	185002	
	Axle Assembly, Rear (Rear); DANA 70 10 BOLT USED RATIO=N/A SUSPENSION=S HUBS=B BRAKES=H	184934	

	Axle Assembly, Rear (Rear); INTERNATIONAL 617ST USED RATIO=4.89 SUSPENSION=S HUBS=S BRAKES=H	184987	
	Axle Assembly, Rear (Rear); INTERNATIONAL 617ST USED RATIO=4.89 SUSPENSION=S HUBS=S BRAKES=H	184988	
	Axle Assembly, Rear (Rear); INTERNATIONAL N145 USED SUSPENSION=S HUBS=B BRAKES=D	184996	
	Axle Assembly, Rear (Rear); INTERNATIONAL N175 USED RATIO=5.38 SUSPENSION=S HUBS=B BRAKES=D	184955	
	Axle Assembly, Rear (Rear); INTERNATIONAL N175 USED RATIO=5.11 SUSPENSION=S HUBS=B BRAKES=D	184968	
	Axle Assembly, Rear (Rear); INTERNATIONAL N175 USED RATIO=4.44 SUSPENSION=S HUBS=B BRAKES=D	185042	
	Axle Assembly, Rear (Rear); INTERNATIONAL N190 USED RATIO=5.38 SUSPENSION=S HUBS=S BRAKES=D	184961	
	Axle Assembly, Rear (Rear); INTERNATIONAL N190 USED RATIO=4.78 SUSPENSION=S HUBS=S BRAKES=D	184962	
	Axle Assembly, Rear (Rear); INTERNATIONAL N190 USED RATIO=5.11 SUSPENSION=S HUBS=B BRAKES=A	184985	
	Axle Assembly, Rear (Rear); INTERNATIONAL N210 USED RATIO=3.73 SUSPENSION=S HUBS=S BRAKES=A	184958	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA29 USED RATIO=5.71 SUSPENSION=S HUBS=S BRAKES=A	184954	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=5.57 SUSPENSION=S HUBS=S BRAKES=D	184928	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=5.57 SUSPENSION=S HUBS=S BRAKES=D	184929	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=5.57 SUSPENSION=S HUBS=S BRAKES=D	184930	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=5.57 SUSPENSION=S HUBS=B BRAKES=D	184933	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=5.57 SUSPENSION=S HUBS=B BRAKES=D	184935	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=5.57 SUSPENSION=S HUBS=S BRAKES=D	184981	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=5.57 SUSPENSION=S HUBS=S BRAKES=D	184986	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=4.78 SUSPENSION=S HUBS=B BRAKES=D	185015	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA44 USED RATIO=4.10 SUSPENSION=S HUBS=B BRAKES=A	184946	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA44 USED RATIO=4.10 SUSPENSION=S HUBS=B BRAKES=A	184951	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA44 USED RATIO=5.11 SUSPENSION=A HUBS=B BRAKES=A	184995	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA44 USED RATIO=5.37 SUSPENSION=S HUBS=S BRAKES=A	185014	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA47 USED RATIO=6.14 SUSPENSION=S HUBS=S BRAKES=H	184960	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA47 USED RATIO=5.38 SUSPENSION=S HUBS=B BRAKES=A	184965	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA47 USED RATIO=5.38 SUSPENSION=S HUBS=S BRAKES=H	185022	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA471013B USED RATIO=7.17 SUSPENSION=S HUBS=S BRAKES=H	184914	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA57 USED RATIO=4.10 SUSPENSION=S HUBS=S BRAKES=A	184939	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA57 12 BOLT USED RATIO=5.38 SUSPENSION=S HUBS=S BRAKES=A	184900	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA57 12 BOLT USED RATIO=4.44 SUSPENSION=S HUBS=S BRAKES=A	184901	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA57 12 BOLT USED RATIO=3.73 SUSPENSION=S HUBS=B BRAKES=A	184913	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA57 12BOLT USED RATIO=4.78 SUSPENSION=S HUBS=S BRAKES=A	184966	
	Axle Assembly, Rear (Rear); INTERNATIONAL RA5712B USED SUSPENSION=A HUBS=S BRAKES=A	184938	

	Axle Assembly, Rear (Rear); KIN SD66 USED RATIO=5.29 SUSPENSION=S HUBS=B BRAKES=A	185046	
	Axle Assembly, Rear (Rear); MACK CRD117 USED HUBS=S BRAKES=A	185034	
	Axle Assembly, Rear (Rear); MACK CRDLP92 USED RATIO=4.17 SUSPENSION=C HUBS=S BRAKES=A	184945	
	Axle Assembly, Rear (Rear); MACK CS300 USED RATIO=5.86 SUSPENSION=S HUBS=B BRAKES=A	184893	
	Axle Assembly, Rear (Rear); ROCKWELL USED RATIO=4.63 SUSPENSION=S HUBS=B BRAKES=H	185007	
	Axle Assembly, Rear (Rear); ROCKWELL USED RATIO=4.30 SUSPENSION=S HUBS=B BRAKES=A	185008	
	Axle Assembly, Rear (Rear); ROCKWELL USED RATIO=4.63 SUSPENSION=S HUBS=B BRAKES=H	185043	
	Axle Assembly, Rear (Rear); ROCKWELL H-172 USED RATIO=5.29 SUSPENSION=S HUBS=B BRAKES=H	184964	
	Axle Assembly, Rear (Rear); ROCKWELL H172 USED RATIO=6.83 HUBS=B BRAKES=H	184896	
	Axle Assembly, Rear (Rear); ROCKWELL H172 USED RATIO=6.83 HUBS=S BRAKES=A	184917	
	Axle Assembly, Rear (Rear); ROCKWELL H172 USED RATIO=6.83 HUBS=S BRAKES=A	184918	
	Axle Assembly, Rear (Rear); ROCKWELL H172 USED RATIO=5.38 HUBS=B BRAKES=A	184931	
	Axle Assembly, Rear (Rear); ROCKWELL H172 USED RATIO=4.88 SUSPENSION=S HUBS=B BRAKES=H	184953	
	Axle Assembly, Rear (Rear); ROCKWELL R170 USED RATIO=7.40 SUSPENSION=S HUBS=B BRAKES=A	184979	
	Axle Assembly, Rear (Rear); ROCKWELL RA54 USED RATIO=3.58 HUBS=S BRAKES=A	185021	
	Axle Assembly, Rear (Rear); ROCKWELL RA57 1260T USED RATIO=4.78 SUSPENSION=S HUBS=B BRAKES=A	184976	
	Axle Assembly, Rear (Rear); ROCKWELL RD20145 USED RATIO=4.33 SUSPENSION=A HUBS=B BRAKES=A	184948	
	Axle Assembly, Rear (Rear); ROCKWELL RR20145 USED RATIO=3.91 SUSPENSION=A HUBS=B BRAKES=A	184944	
	Axle Assembly, Rear (Rear); ROCKWELL RR20145 USED RATIO=4.10 SUSPENSION=A HUBS=B BRAKES=A	184949	
	Axle Assembly, Rear (Rear); ROCKWELL RS13120 USED RATIO=4.56 SUSPENSION=S HUBS=S BRAKES=H	184937	
	Axle Assembly, Rear (Rear); ROCKWELL RS15120 USED RATIO=4.56 SUSPENSION=S HUBS=S BRAKES=H	184936	
	Axle Assembly, Rear (Rear); ROCKWELL RS15120 USED RATIO=4.56 SUSPENSION=S HUBS=S BRAKES=H	184975	
	Axle Assembly, Rear (Rear); ROCKWELL RS15210 USED RATIO=4.88 HUBS=S BRAKES=L	185029	
	Axle Assembly, Rear (Rear); ROCKWELL RS16140 USED RATIO=5.86 SUSPENSION=S HUBS=B BRAKES=H	184909	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.86 SUSPENSION=S HUBS=B BRAKES=H	184897	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=4.88 SUSPENSION=S HUBS=B BRAKES=H	184899	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=4.88 SUSPENSION=S HUBS=B BRAKES=H	184908	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=4.56 SUSPENSION=S HUBS=B BRAKES=A	184910	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.29 SUSPENSION=S HUBS=S BRAKES=H	184920	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.29 SUSPENSION=S HUBS=S BRAKES=H	184921	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.29 SUSPENSION=S HUBS=S BRAKES=H	184922	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.29 SUSPENSION=S HUBS=S BRAKES=H	184923	
	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.29 SUSPENSION=S HUBS=S BRAKES=H	184924	

	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.29 SUSPENSION=S HUBS=S BRAKES=A	184942	
	Axle Assembly, Rear (Rear); ROCKWELL RS17145 USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=H	184950	
	Axle Assembly, Rear (Rear); ROCKWELL RS17145 USED RATIO=4.33 SUSPENSION=A HUBS=B BRAKES=A	184952	
	Axle Assembly, Rear (Rear); ROCKWELL RS17145 USED RATIO=4.30 SUSPENSION=S HUBS=B BRAKES=A	184967	
	Axle Assembly, Rear (Rear); ROCKWELL RS19-145 USED RATIO=4.33 SUSPENSION=S HUBS=B BRAKES=H	184998	
	Axle Assembly, Rear (Rear); ROCKWELL RS19145 USED RATIO=5.57 SUSPENSION=S HUBS=B BRAKES=H	184971	
	Axle Assembly, Rear (Rear); ROCKWELL RS19145 USED RATIO=4.33 SUSPENSION=S HUBS=B BRAKES=H	184997	
	Axle Assembly, Rear (Rear); ROCKWELL RS19145 USED RATIO=4.63 HUBS=B BRAKES=L	185009	
	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.56 SUSPENSION=S HUBS=B BRAKES=A	184905	
	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.56 SUSPENSION=S HUBS=B BRAKES=A	184906	
	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.10 SUSPENSION=S HUBS=B BRAKES=A	184907	
	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.56 SUSPENSION=S HUBS=B BRAKES=A	184911	
	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.88 SUSPENSION=S HUBS=S BRAKES=A	184941	
	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.33 SUSPENSION=S HUBS=B BRAKES=A	184982	
	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=A	184989	
	Axle Assembly, Rear (Rear); ROCKWELL RS21230 USED RATIO=4.56 SUSPENSION=S HUBS=B BRAKES=H	184957	
	Axle Assembly, Rear (Rear); ROCKWELL RS21230 USED RATIO=4.88 HUBS=S BRAKES=H	185037	
	Axle Assembly, Rear (Rear); ROCKWELL RS21230 USED RATIO=6.56 SUSPENSION=S HUBS=B BRAKES=H	185040	
	Axle Assembly, Rear (Rear); ROCKWELL RS23160 USED RATIO=4.56 SUSPENSION=S HUBS=B BRAKES=A	184972	
	Axle Assembly, Rear (Rear); ROCKWELL RS23160 USED RATIO=3.73 SUSPENSION=S HUBS=B BRAKES=A	184977	
	Axle Assembly, Rear (Rear); ROCKWELL RS23160 USED RATIO=4.56 SUSPENSION=S HUBS=B BRAKES=A	184983	
	Axle Assembly, Rear (Rear); ROCKWELL RS23160 USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=A	184984	
	Axle Assembly, Rear (Rear); ROCKWELL RS23160 USED RATIO=4.30 SUSPENSION=S HUBS=B BRAKES=A	185018	
	Axle Assembly, Rear (Rear); ROCKWELL RS23161 USED RATIO=3.91 SUSPENSION=S HUBS=B BRAKES=A	184980	
	Axle Assembly, Rear (Rear); ROCKWELL RS23180 USED RATIO=3.73 HUBS=B BRAKES=A	185036	
	Axle Assembly, Rear (Rear); ROCKWELL RS23240 USED RATIO=4.10 SUSPENSION=S HUBS=B BRAKES=A	184973	
	Axle Assembly, Rear (Rear); ROCKWELL RS26190 USED RATIO=4.10 HUBS=S BRAKES=A	184903	
	Axle Assembly, Rear (Rear); ROCKWELL S/A USED RATIO=4.30	185001	
	Axle Assembly, Rear (Rear); ROCKWELL SQHD USED RATIO=3.70 HUBS=S BRAKES=A	185039	
	Axle Assembly, Rear (Rear); ROCKWELL SQHR USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=A	184947	
	Axle Assembly, Rear (Rear); ROCKWELL SQHR USED RATIO=3.70 HUBS=S BRAKES=A	185038	
	Axle Assembly, Rear (Rear); SPICER USED RATIO=4.78 SUSPENSION=S HUBS=B BRAKES=H	185011	
	Axle Assembly, Rear (Rear); SPICER USED RATIO=5.37 SUSPENSION=S HUBS=S BRAKES=A	185012	

	Axle Assembly, Rear (Rear); SPICER M-190 USED RATIO=4.56 HUBS=S BRAKES=H	185031	
	Axle Assembly, Rear (Rear); SPICER M190T USED RATIO=4.89 SUSPENSION=S HUBS=S BRAKES=A	184969	
	Axle Assembly, Rear (Rear); SPICER N-175 USED RATIO=6.14 HUBS=S BRAKES=H	185025	
	Axle Assembly, Rear (Rear); SPICER N-175 USED RATIO=3.54 HUBS=B BRAKES=A	185027	
	Axle Assembly, Rear (Rear); SPICER N-175 USED RATIO=4.10 HUBS=B BRAKES=H	185033	
	Axle Assembly, Rear (Rear); SPICER N190 USED RATIO=4.89	184943	
	Axle Assembly, Rear (Rear); SPICER N190/175 USED SUSPENSION=S HUBS=B BRAKES=H	184993	
	Axle Assembly, Rear (Rear); SPICER RA44 USED RATIO=4.44 HUBS=S BRAKES=H	185010	
363	Axle Assembly, Rear (Rear);	185415	
364	Axle Assembly, Rear (Rear); SPICER M190-T RATIO=4.88	185412	
365	Axle Assembly, Rear (Rear);	185408	
366	Axle Assembly, Rear (Rear); RATIO=6.17	185414	
367	Axle Assembly, Rear (Rear); SPICER M190-T RATIO=4.89	185413	
368	Axle Assembly, Rear (Rear); MACK 2 SPEED	185768	
369	Axle Assembly, Rear (Rear); MACK 2 SPEED	185767	
373	Axle Assembly, Rear (Rear);	185405	
374	Axle Assembly, Rear (Rear); RATIO=6.17	185409	
375	Axle Assembly, Rear (Rear);	185403	
376	Axle Assembly, Rear (Rear);	185402	
377	Axle Assembly, Rear (Rear); RATIO=7.17	185406	
378	Axle Assembly, Rear (Rear); RATIO=4.88	185404	
379	Axle Assembly, Rear (Rear);	185407	
380	Axle Assembly, Rear (Rear); RATIO=5.43	185400	
381	Axle Assembly, Rear (Rear);	185401	
382	Axle Assembly, Rear (Rear);	185410	
383	Axle Assembly, Rear (Rear);	185411	
384	Axle Assembly, Rear (Rear); MACK 2 SPEED	185766	
386	Axle Assembly, Rear (Rear); 1992 FORD L9000 USED RATIO=3.08 VIN#: 1FTYS90L7NVA10238	185056	
387	Axle Assembly, Rear (Rear); USED RATIO=3.08	185738	
388	Axle Assembly, Rear (Rear); 1994 WHITE USED RATIO=3.08 HUBS=STEEL HUB BRAKES=AIR VIN#: R82112	185060	
389	Axle Assembly, Rear (Rear); 1994 WHITE USED RATIO=3.08 HUBS=BUDD BRAKES=AIR VIN#: 824112	185058	
390	Axle Assembly, Rear (Rear); 1992 FORD USED RATIO=3.08 VIN#: A15211	185061	
391	Axle Assembly, Rear (Rear); 1996 VOLVO USED RATIO=4.33 HUBS=BUDD BRAKES=AIR VIN#: 724338	185062	
393	Axle Assembly, Rear (Rear); 1985 RATIO=6.14	185769	
396	Axle Assembly, Rear (Rear); 1987 SPICER M190T USED RATIO=6.14 SUSPENSION=S HUBS=B BRAKES=D VIN#: A11383	184956	
397	Axle Assembly, Rear (Rear); USED RATIO=6.50 SUSPENSION=S HUBS=S BRAKES=A	185041	
398	Axle Assembly, Rear (Rear); USED RATIO=4.88 HUBS=S BRAKES=A	184978	
399	Axle Assembly, Rear (Rear); ROCKWELL ROCKWELL, R-170 RATIO=3.70	185735	
400	Axle Assembly, Rear (Rear); USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=A	184974	
401	Axle Assembly, Rear (Rear); USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=A	185003	
402	Axle Assembly, Rear (Rear); USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=A	185005	
403	Axle Assembly, Rear (Rear); USED RATIO=5.43 SUSPENSION=S HUBS=B BRAKES=A	184999	
404	Axle Assembly, Rear (Rear); SPICER 23121 USED RATIO=4.56	185736	
405	Axle Assembly, Rear (Rear); ROCKWELL RS461 USED RATIO=4.56	185737	

406	Axle Assembly, Rear (Rear); 1982 FORD L8000 USED RATIO=5.43 SUSPENSION=S HUBS=S BRAKES=A VIN#: 1FDYD80U9CVA50987	185050	
407	Axle Assembly, Rear (Rear); 1989 MACK S/A RATIO=2.93	185734	
408	Axle Assembly, Rear (Rear); MACK CS300 USED SUSPENSION=S HUBS=B BRAKES=A	185016	
409	Axle Assembly, Rear (Rear); 1987 VOLVO S/A USED RATIO=4.85	185733	
410	Axle Assembly, Rear (Rear); 1982 VOLVO S/A USED RATIO=4.86	185732	
411	Axle Assembly, Rear (Rear); 1982 VOLVO S/A USED RATIO=4.86	185731	
412	Axle Assembly, Rear (Rear); SPICER RA39 USED RATIO=5.57 SUSPENSION=S HUBS=B BRAKES=H	185024	
414	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=6.50 SUSPENSION=S HUBS=S BRAKES=D	184927	
415	Axle Assembly, Rear (Rear); INTERNATIONAL RA39 USED RATIO=6.50 SUSPENSION=S HUBS=B BRAKES=D	184932	
416	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.29 SUSPENSION=S HUBS=S BRAKES=H	184915	
417	Axle Assembly, Rear (Rear); ROCKWELL RS15120 USED RATIO=4.88 SUSPENSION=S HUBS=S BRAKES=H	185023	
418	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=5.29 SUSPENSION=S HUBS=S BRAKES=H	184916	
419	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.63 SUSPENSION=S HUBS=B BRAKES=H	185019	
420	Axle Assembly, Rear (Rear); INTERNATIONAL N175 USED RATIO=4.78 SUSPENSION=S HUBS=B BRAKES=D	184940	
421	Axle Assembly, Rear (Rear); ROCKWELL RS17140 USED RATIO=4.88 SUSPENSION=S HUBS=B BRAKES=H	184898	
422	Axle Assembly, Rear (Rear); 1988 IHC RA39 USED RATIO=5.57 HUBS=S BRAKES=H VIN#: 1HVLPCFM7JH600225	185065	
423	Axle Assembly, Rear (Rear); 1979 IHC RA47 USED RATIO=5.37	185727	
424	Axle Assembly, Rear (Rear); INTERNATIONAL RA57 12 BOLT USED RATIO=5.37 SUSPENSION=S HUBS=S BRAKES=A	184902	
425	Axle Assembly, Rear (Rear); 1981 IHC RA57 USED RATIO=6.14	185728	
426	Axle Assembly, Rear (Rear); ROCKWELL RS23180 USED RATIO=3.58	185729	
427	Axle Assembly, Rear (Rear); ROCKWELL RS23180 USED RATIO=6.14	185730	
428	Axle Assembly, Rear (Rear); ROCKWELL H170 USED RATIO=5.86 HUBS=S BRAKES=A	184919	
429	Axle Assembly, Rear (Rear); ROCKWELL RR20145 USED RATIO=4.88 SUSPENSION=S HUBS=B BRAKES=A	185044	
430	Axle Assembly, Rear (Rear); ROCKWELL RS17144 USED RATIO=4.11 SUSPENSION=S HUBS=B BRAKES=A	184994	
431	Axle Assembly, Rear (Rear); ROCKWELL RS21145 USED RATIO=4.88 SUSPENSION=S HUBS=B BRAKES=A	185017	
432	Axle Assembly, Rear (Rear); INTERNATIONAL RA47 10B USED RATIO=7.17 SUSPENSION=S HUBS=S BRAKES=H	184894	
433	Axle Assembly, Rear (Rear); 1984 IHC RA57 USED RATIO=5.37	185726	
434	Axle Assembly, Rear (Rear); INTERNATIONAL RA57 10B USED RATIO=5.37 SUSPENSION=S HUBS=S BRAKES=A	184895	
435	Axle Assembly, Rear (Rear); 1987 IHC RA472 USED RATIO=4.78 HUBS=S BRAKES=A VIN#: 1HSLRDBN2HH516366	185055	
436	Axle Assembly, Rear (Rear); INTERNATIONAL RA47 USED RATIO=6.14 SUSPENSION=S HUBS=S BRAKES=H	185045	
437	Axle Assembly, Rear (Rear); SPICER RA47 USED RATIO=6.57 HUBS=B BRAKES=A	185035	
438	Axle Assembly, Rear (Rear); INTERNATIONAL RA57 USED RATIO=3.73 HUBS=S BRAKES=A	185028	
439	Axle Assembly, Rear (Rear); 1989 IHC RA44 USED RATIO=5.38	185725	
440	Axle Assembly, Rear (Rear); INTERNATIONAL N175 USED RATIO=4.44 SUSPENSION=S HUBS=B BRAKES=D	184959	
441	Axle Assembly, Rear (Rear); 1990 SPICER N175 RATIO=4.78	185770	